

PEACE COIN 3.6

QT-Wallet User Guide



Agenda





1. Configuration of Main Screen	2p
2. Send Coins	4p
3. My Wallet Address	5p
4. Transactions	6p
5. Address Book	7p
6. Backup Wallet	8p

1. Configuration of Main Screen





1	Main screen
2	Coin Transmission
3	My wallet address check
4	Record of transactions and mining
5	Address book
6	Spendable coins in my wallet
7	Recent transactions & Mining record
8	Total amount of coins in my wallet


1. Configuration of Main Screen_file

	1	Backup Wallet
	2	Sign message
	3	Verify message
	4	Exit

1. Configuration of Main Screen_Settings


	1	Encrypt Wallet
	2	Options

2. Send Coins




1	Enter the Wallet address to send
2	Enter the name to add to the address book
3	Enter the amount of Coins to send
4	Send button

3. My Wallet Address




1	List of my wallet address
2	Create a new wallet address
3	Copy address
4	Show my wallet QT code
5	Enter the message

4. Transactions





1	Transactions & Mining history
2	Transactions & Mining Date
3	Transactions type(Received with, Send to, Mined, To yourself, other)
4	Transactions address
5	Transactions amount

5. Address Book



1	Address book
2	Add addresses
3	Copy addresses
4	Show QR code
5	Verify message
6	Delete address


6. Backup Wallet



1 File -> Click Backup Wallet

2 Save file as wallet.dat

6. Backup Wallet



1	<p>C Drive -> Users -> (Computer Name) -> AppData -> Roaming -> PeaceCoin(Folder) -> Change the name of existing file (wallet.dat) -> Save new File (wallet.dat) -> Redo PeaceCoin QT Wallet</p>
+	<p>The data is deleted when you delete an existing file wallet.dat Make sure to put the backup file after changing the file name.</p>
+	<p>When there is no folder (Control Panel -> Folder Options -> View -> Show hidden files, folders, and drives check)</p>